

X-MAST-LED







X-MAST- LED 4x300W LED- 9M

Strong and compact, with the possibility to power up more units in series, the X-MAST is the ideal product for people looking for a simple but effective solution able to guarantee 4500 sqm of illuminated area.

It is also the perfect product for a long term illumination of medium to large sized areas. 22 units can be loaded on a standard truck providing a significant saving on transport costs.











woq



• 9meters vertical tower, 340° rotatable

- Manual lifting system by winch complete with auto-braking system
- Galvanized metalworks
- 80 µm powder coating
- Very compact dimensions for easy handling & transportability, up to 22 units per truck
- Sides lifting eyes
- top and sides forklift pockets for effective handling
- Guided main coiled cable to avoid damage during tower operation
- Circuit breaker for electrical protection against overload
- Certified wind stability up tp 110 km/h
- 4 extendable & height adjustable stabilizers
- 230V inlet plug and outlet socket to connect in series more units

APPLICATIONS



Gas, oil & mining operations



Special events



Rural & hard to reach areas



Emergency response



Construction & work sites



Military applications




- Up to 10 units can be powered from a single source using a 32A plug & socket
- Up to 2 units can be powered from a single source using a 16A plug & socket



22 Units Per Truck



You can place 22 units on a single vehicle thanks to one of the compactest footprints on the market.



technical data

Dimensions & weight	
Dimensions min. (mm)	1100x1100x2650
Dimensions max. (mm)	2360x2360x9000
Total weight	445 Kg

Input & output	
Inlet plug	16A - 230V
Outlet socket	16A - 230V
Tower lifting method	
	Manual

Features	
Rotation	340°
Floodlights	4x300W
Lamps	LED
Options	Light sensor

Standard load delivery


22 sets



Units Per Truck

Illuminated area (5 lux min.)

4500 sqm





TRIME s.p.a.

Strada per Robecco, snc 20081 Cassinetta di Lugagnano (MI) - Italy Tel. +39 02 942 1724 www.trime.it - info@trime.it